James P. Thomas, M.D.	h.
physician & surgeon — practice limited to laryngology — 909 NW 18th Avenue	Hand Hand fall and the second
Portland, OR 97209-2324	
(503) 478-1845 fax (503) 478-1846 toll free (866) 766-1994 cell/pager (503) website www.voicedoctor.net email drthomas@voicedoctor.net	3) 341-2999

Name: _____ Today's date ____ / 2007
PARQ (Procedure, Alternatives, Risks & Questions) conference

Procedure: Microlaryngoscopy with

Excision			
Injection			
Other			
CO2 laser 31541	CO2 laser standby	🗖 no la	iser
general anesthesia			
Time 1 hour 1 1/2 hours	s 2 hours		
Preferred Date of Surgery:	//	ASAP,	at patient convenience

Alternatives: might include speech therapy or no treatment. Risks: Anesthesia risk, chipped tooth, numb tongue, suboptimal result, laser burn

Laryngoscopy means inserting a metal tube in the throat to view the voice box. The main risks of surgery include, but are not limited to a reaction to anesthesia, which is uncommon but can be life threatening. The procedure can uncommonly cause a chipped tooth. More common is a numb tongue for a few days to several weeks after the procedure. In my experience this has resolved. If a laser is used, the risk includes a possible burn by the laser in an area other than intended. Laser precautions are utilized to prevent an airway fire. Results with surgery cannot be guaranteed and a sub-optimal result is possible. There is an extensive explanation of the procedure available in print or at http://www.voicedoctor.net/surgery/mxlx.html.

Questions: Dr. Thomas explained to me the risks of surgery and my questions have been answered to my satisfaction.

Students, residents or fellows may be involved in observing or assisting with procedures described above.

Patient signature	Date & Time
Preferred hospital Legacy Emanuel	Providence
Vital signs BP/ P, R	_
Chest: clear crackles	
Heart: regular irregular	
surgeon	Date & Time

Surgical Scheduling Information for Laryngoscopy Page 1 of 1 © 12/15/06 fLY bY nIGHT graphics